

## **IN THE CLAIMS:**

1. (Currently amended) A method for modifying a network without tearing down existing connections, comprising:
  - identifying a modification to the network that is to be made;
  - identifying a send queue that is to be affected by the modification;
  - placing ~~[[a]]~~ the send queue that is to be affected by a modification to the network into a suspended state;
  - applying the modification to the network; and
  - placing the send queue back into an operational state after applying the modification to the network.
2. (Original) The method of claim 1, wherein the suspended state is a send queue drain state.
3. (Original) The method of claim 1, wherein while in the suspended state, write requests can be posted to a queue pair of the send queue, incoming messages to the queue pair of the send queue are processed normally, and work requests submitted to the send queue are queued and are not processed.
4. (Original) The method of claim 1, wherein placing the send queue into a suspended state includes stopping processing of messages in the send queue at a message boundary.
5. (Original) The method of claim 1, further comprising sending a notification to a subnet manager that the send queue has been placed in a suspended state, wherein the modification to the network is applied in response to sending the notification.
6. (Original) The method of claim 1, wherein placing the send queue into a suspended state includes using a PathRecord SubnAdmReport general management

packet to request suspension of messages on a queue pair over an existing path in the network.

7. (Original) The method of claim 6, wherein placing the send queue back into an operational state after applying the modification to the network includes identifying the send queue based on a Path Record Modification ID included in the PathRecord SubnAdmReport general management packet.

8. (Original) The method of claim 6, further comprising receiving a PathRecord SubnAdmReportResp general management packet in response to the PathRecord SubnAdmReport general management packet indicating that the modification to the network has been applied, wherein the send queue is placed back into an operation state in response to receiving the PathRecord SubnAdmReportResp general management packet.

9. (Currently amended) An apparatus for modifying a network without tearing down existing connections, comprising:

means for identifying a modification to the network that is to be made;

means for identifying a send queue that is to be affected by the modification;

means for placing ~~[[a]]~~ the send queue that is to be affected by a modification to the network into a suspended state;

means for applying the modification to the network; and

means for placing the send queue back into an operational state after applying the modification to the network.

10. (Original) The apparatus of claim 9, wherein the suspended state is a send queue drain state.

11. (Original) The apparatus of claim 9, wherein while in the suspended state, write requests can be posted to a queue pair of the send queue, incoming messages to the queue

pair of the send queue are processed normally, and work requests submitted to the send queue are queued and are not processed.

12. (Original) The apparatus of claim 9, wherein the means for placing the send queue into a suspended state includes means for stopping processing of messages in the send queue at a message boundary.

13. (Original) The apparatus of claim 9, further comprising means for sending a notification to a subnet manager that the send queue has been placed in a suspended state, wherein the modification to the network is applied in response to sending the notification.

14. (Original) The apparatus of claim 9, wherein the means for placing the send queue into a suspended state includes means for using a PathRecord SubnAdmReport general management packet to request suspension of messages on a queue pair over an existing path in the network.

15. (Original) The apparatus of claim 14, wherein the means for placing the send queue back into an operational state after applying the modification to the network includes means for identifying the send queue based on a Path Record Modification ID included in the PathRecord SubnAdmReport general management packet.

16. (Original) The apparatus of claim 14, further comprising means for receiving a PathRecord SubnAdmReportResp general management packet in response to the PathRecord SubnAdmReport general management packet indicating that the modification to the network has been applied, wherein the send queue is placed back into an operation state in response to receiving the PathRecord SubnAdmReportResp general management packet.

17. (Currently amended) A computer program product in a computer readable medium for modifying a network without tearing down existing connections, comprising:  
first instructions for identifying a modification to the network that is to be made;

second instructions for identifying a send queue that is to be affected by the modification;

~~first~~ third instructions for placing ~~[[a]]~~ the send queue that is to be affected by a modification to the network into a suspended state;

~~second~~ fourth instructions for applying the modification to the network; and

~~third~~ fifth instructions for placing the send queue back into an operational state after applying the modification to the network.

18. (Original) The computer program product of claim 17, wherein the suspended state is a send queue drain state.

19. (Original) The computer program product of claim 17, wherein while in the suspended state, write requests can be posted to a queue pair of the send queue, incoming messages to the queue pair of the send queue are processed normally, and work requests submitted to the send queue are queued and are not processed.

20. (Currently amended) The computer program product of claim 17, wherein the ~~second~~ third instructions for placing the send queue into a suspended state includes instructions for stopping processing of messages in the send queue at a message boundary.

21. (Currently amended) The computer program product of claim 17, further comprising ~~fourth~~ sixth instructions for sending a notification to a subnet manager that the send queue has been placed in a suspended state, wherein the modification to the network is applied in response to sending the notification.

22. (Currently amended) The computer program product of claim 17, wherein the ~~second~~ third instructions for placing the send queue into a suspended state includes instructions for using a PathRecord SubnAdmReport general management packet to request suspension of messages on a queue pair over an existing path in the network.

23. (Currently amended) The computer program product of claim 22, wherein the ~~third~~ fifth instructions for placing the send queue back into an operational state after applying the modification to the network includes instructions for identifying the send queue based on a Path Record Modification ID included in the PathRecord SubnAdmReport general management packet.

24. (Currently amended) The computer program product of claim 22, further comprising ~~fourth~~ sixth instructions for receiving a PathRecord SubnAdmReportResp general management packet in response to the PathRecord SubnAdmReport general management packet indicating that the modification to the network has been applied, wherein the send queue is placed back into an operation state in response to receiving the PathRecord SubnAdmReportResp general management packet.